



A440 / A442

RWD 4 Speed



TOYOTA



TOYOTA

| PART # | PAPER & RUBBER KIT | QTY. | REFERENCE # |
|---------------|---|-------|-------------|
| 141000..... | Paper & Rubber Kit, A440F Without Transfer Parts 1985-92..... | 1 | |
| 141000A..... | Paper & Rubber Kit, A440F With Transfer Parts 1985-92..... | 1 | |
| 141000AB..... | Paper & Rubber Kit, A442F With Transfer Parts 1993-95..... | 1 | |
| PART # | OVERHAUL KITS | QTY. | REFERENCE # |
| 141002..... | Overhaul Kit, A440F W/Out Transfer Case Parts 1985-92..... | 1 | |
| 141002A..... | Overhaul Kit, A440F With Transfer Case Parts 1985-92..... | 1 | |
| 141002AB..... | Overhaul Kit, A442F With Transfer Case Parts 1993-95..... | 1 | |
| PART # | MASTER L/STEEL KIT | QTY. | REFERENCE # |
| 141004..... | Master L/Steels Kit, A440F W/Out Transfer Case Parts 1985-92..... | 1 | |
| 141004A..... | Master L/Steels Kit, A440F With Transfer Case Parts 1985-92..... | 1 | |
| 141004AB..... | Master L/Steels Kit, A442F With Transfer Case Parts 1993-95..... | 1 | |
| PART # | MASTER W/STEEL KIT | QTY. | REFERENCE # |
| 141006..... | Master W/Steels Kit, A440F W/Out Transfer Case Parts 1985-92..... | 1 | |
| 141006A..... | Master W/Steels Kit, A440F With Transfer Case Parts 1985-92..... | 1 | |
| 141006AB..... | Master W/Steels Kit, A442F With Transfer Case Parts 1993-95..... | 1 | |
| PART # | FILTER | QTY. | REFERENCE # |
| 141010..... | Filter, A440F (5/8" Thick) 1985-95..... | 1 | |
| 141010A..... | Filter, A440F (2" Thick) 1985-95..... | 1 | |
| 141010B..... | Filter, A442F 1993-95..... | 1 | |
| PART # | FILTER KIT | QTY. | REFERENCE # |
| 141011..... | Filter Kit, A440F (5/8" Thick) 1985-92..... | 1 | |
| 141011A..... | Filter Kit, A440F (2" Thick) 1985-92..... | 1 | |
| 141011B..... | Filter Kit, A442F 1993-95..... | 1 | |
| PART # | BUSHINGS | QTY. | REFERENCE # |
| 141030..... | Bushing Kit, A440 (8 Bushings) 1985-95..... | 1 | |
| 141034A..... | Bushing, A440F/A442F Pump Body 1985-95..... | 1 | |
| 141044A..... | Caged Bearing, A440F/A442F 2nd Brake Support To Sun Gear 1985-95 (Use 141260A)..... | 1 | |
| PART # | METAL CLAD SEALS | QTY. | REFERENCE # |
| 141070..... | Seal, A440F/A442F Front Pump 1985-95..... | 1 | 90311-42010 |
| 60072..... | Seal, A440F/A442F Manual Lever Shaft 1985-95..... | 2 | |
| 141074..... | Seal, A440F/A442F Extension Housing 1985-95..... | 1 | |
| 141078..... | Seal, A440F/A442F Speedometer Gear Shaft 1985-95..... | 1 | |
| PART # | FRICTION CLUTCH | QTY. | REFERENCE # |
| 141100A..... | Friction, A440F Overdrive Brake Clutch (.083") (70 Teeth) 1985-92 (Also Fits A440F/A442F 2nd Brake Clutch 1985-95)..... | 3-8 | 35633-36060 |
| 141100AA..... | Friction, A442F Overdrive Brake Clutch (.083") (75 Teeth) 1993-95..... | 3 | 35633-36050 |
| 141102A..... | Friction, A440F/A442F Overdrive Direct Clutch (.083") (46 Teeth) 1985-95 (Also Fits A440F/A442F Forward & Direct Clutch 1985-95)..... | 14-15 | 35633-60040 |
| 141104A..... | Friction, A440F/A442F 2nd Brake Clutch (.083") (70 Teeth) 1985-95 (Use 141100A)..... | 4-5 | 35633-36060 |
| 141106A..... | Friction, A440F/A442F Direct Clutch (.083") (46 Teeth) 1985-95 (Use 141102A)..... | 5 | 35633-60040 |
| 141108A..... | Friction, A440F/A442F Forward Clutch (.083") (46 Teeth) 1985-95 (Use 141102A)..... | 6-7 | 35633-60040 |
| 141114A..... | Friction, A440F/A442F Low / Reverse Clutch (.067") (70 Teeth) 1985-95..... | 6 | 35633-60030 |
| PART # | STEEL CLUTCH | QTY. | REFERENCE # |
| 141120A..... | Steel, A440F Overdrive Brake Clutch (.094") (6 Teeth) (6.00"ID)1985-92 (Also Fits A440F 2nd Brake Clutch 1985-90)..... | 3-10 | 35632-60010 |
| 141120AA..... | Steel, A442F Overdrive Brake Clutch (.078") (6 Teeth) 1993-95 (Also Fits A440F/A442F 2nd Brake Clutch 1991-95)..... | 3-10 | 35632-60040 |
| 141120AB..... | Steel, A442F Overdrive Brake Clutch (.157") (6 Teeth) 1993-95..... | 3-10 | 35632-60020 |
| 141120B..... | Steel, A440F Overdrive Brake Clutch (.094") (6 Teeth) (6.400"ID) 1985-Up..... | 3-10 | |

| | | | |
|---------------|---|------|-------------|
| 141122A..... | Steel, A440F/A442F Overdrive Direct Clutch (.071") (10 Teeth) 1985-95 (Also Fits A440F/A442F Forward & Direct Clutch 1985-95) | 6-18 | 35634-36010 |
| 141122AA..... | Steel, A440F/A442F Overdrive Direct Clutch (.078") (10 Teeth) 1985-95 (Also Fits A440F/A442F Forward Clutch 1985-95) | AR | 35634-36040 |
| 141122AB..... | Steel, A440F/A442F Overdrive Direct Clutch (.087") (10 Teeth) 1985-95 (Also Fits A440F/A442F Forward Clutch 1985-95) | AR | 35634-36050 |
| 141122AC..... | Steel, A440F/A442F Overdrive Direct Clutch (.095") (10 Teeth) 1985-95 (Also Fits A440F/A442F Forward Clutch 1985-95) | AR | 35634-36020 |
| 141124A..... | Steel, A440F 2ND Brake Clutch (.094") (6 Teeth) 1985-90 (Use 141120A) | 7 | 35632-60010 |
| 141124AA..... | Steel, A440F/A442F 2ND Brake Clutch (.078") (6 Teeth) 1991-95 (Use 141120AA) | 7 | 35632-60040 |
| 141126A..... | Steel, A440F/A442F Direct Clutch (.071") (10 Teeth) 1985-95 (Use 141122A) | 6 | 35634-36010 |
| 141128A..... | Steel, A440F/A442F Forward Clutch (.071") (10 Teeth) 1985-95 (Use 141122A) | 6 | 35634-36010 |
| 141128AA..... | Steel, A440F/A442F Forward Clutch (.078") (10 Teeth) 1985-95 (Use 141122AA) | AR | 35634-36040 |
| 141128AB..... | Steel, A440F/A442F Forward Clutch (.087") (10 Teeth) 1985-95 (Use 141122AB) | AR | 35634-36050 |
| 141128AC..... | Steel, A440F/A442F Forward Clutch (.095") (10 Teeth) 1985-95 (Use 141122AC) | AR | 35634-36020 |
| 141134A..... | Steel, A440F Low / Reverse Clutch (.071") (16 Teeth) 1985-92 | 6 | 35632-36020 |
| 141134AA..... | Steel, A442F Low / Reverse Clutch (.095") (16 Teeth) 1993-95 | 6 | 35632-36030 |
| 141134B..... | Steel, A442F Low / Reverse Clutch (.110") (16 Teeth) 1993-95 | 6 | |
| 141135A..... | Cushion Steel, A440F/A442F Low / Reverse Clutch (.100") (8 Teeth) 1985-95 | 1 | |

| PART # | CLUTCH PRESSURE PLATES | QTY. | REFERENCE # |
|--------------|--|------|-------------|
| 141140A..... | Pressure Plate, A440F/A442F Overdrive Brake Clutch (Top) (.195") (6 Teeth) 1985-95 | 1 | 35676-60010 |
| 141142A..... | Pressure Plate, A440F/A442F Overdrive Direct Clutch (Top) (4 Teeth) 1985-95 | 1 | |
| 141144A..... | Pressure Plate, A440F/A442F 2nd Brake Clutch (Top) (.198") (6 Teeth) 1985-95 | 1 | |
| 141146A..... | Pressure Plate, A440F/A442F Direct Clutch (Top) (.211") (4 Teeth) (Cast # 2) 1985-95 | 1 | 35675-60010 |
| 141148A..... | Wavy Steel, A440F/A442F Forward Clutch (.078") (10 Teeth) 1985-95 | 1 | 35634-36010 |
| 141154A..... | Pressure Plate, A440F/A442F Low / Reverse Clutch (Top) (.260") (8 Teeth) 1985-95 | 1 | |
| 141154B..... | Pressure Plate, A440F/A442F Low / Reverse Clutch (Top) (.276") (8 Teeth) 1985-95 | 1 | |

| PART # | OIL SEALING RINGS | QTY. | REFERENCE # |
|-------------|-------------------------------|------|-------------|
| 141175..... | Ring Kit, A440F/A442F 1985-95 | 1 | |

| PART # | WASHERS & BEARINGS | QTY. | REFERENCE # |
|---------------|---|------|-------------|
| 141210A..... | Race, A440 Stator To Drum (1.685"OD)(.025" Thick) | 1 | 35789-36050 |
| 141210AA..... | Race, A440 Stator To Drum (1.685"OD)(.034" Thick) | 1 | |
| 141210AB..... | Race, A440 Stator To Drum (1.685"OD)(.049" Thick) | 1 | |
| 141211A..... | Bearing W/Race, A440F Stator To Drum (1.885"OD) | 1 | 90374-32005 |
| 141217B..... | Bearing W/Race, A440F Overdrive Planet To Hub (1.642"OD) | 1 | 34738-36010 |
| 141220A..... | Washer, A440F Overdrive Sprag (57 Teeth) (.056") | 1 | |
| 141219A..... | Caged Needle Bearing, A440F Overdrive Support To Forward Drum Shaft (1.300"OD) | 1 | |
| 141225A..... | Cup Race, A440F Support To Forward Drum (2.045"OD) (Also Fits Forward Clutch Hub Front & Rear) | 1-3 | 35789-36020 |
| 141226A..... | Bearing, A440F Support To Forward Drum (2.039"OD) (.077" Thick) | 1 | 90374-34001 |
| 141227A..... | Race, A440F Support To Forward Drum (Top Hat) (1.970"OD) | 1 | |
| 141228A..... | Shim, A440F Support To Forward Drum (.039") | 1 | |
| 141228AA..... | Shim, A440F Support To Forward Drum (.049") | 1 | |
| 141228AB..... | Shim, A440F Support To Forward Drum (.059") | 1 | |
| 141228AC..... | Shim, A440F Support To Forward Drum (.069") | 1 | |
| 141231A..... | Cup Race, A440F Forward Drum To Forward Hub (Use 141225A) | 1 | |
| 141232A..... | Bearing & Race, A440F Forward Drum To Hub (2.038"OD) (.110" Thick) (Also Fits Forward Hub To Direct Drum) | 1-2 | 90374-32005 |
| 141234A..... | Bearing & Race, A440F Forward Hub To Direct Drum (Use 141232A) | 1 | |
| 141235A..... | Cup Race, A440F Forward Hub To Direct Drum (Use 141225A) | 1 | |
| 141237A..... | Washer, A440F Front Planet-Front (.070" Thick) 2 Tab | 1 | |
| 141239A..... | Shim, A440F 2nd Brake Support To Front Planet (4 Inner Tabs-Steel) | 1 | 35737-60011 |
| 141245A..... | Washer, A440F Front To Rear Planet Plastic (4.050"OD) (4 Tab) | 1 | 35738-60020 |
| 141246A..... | Bearing & Race, A440F Rear Sun gear To Hub (2.084"OD) (.108" Thick) | 1 | |
| 141260A..... | Caged Bearing, A440F 2nd Brake Support To Sun Gear (1.300"OD) (.585" Thick) | 1 | |
| 141263A..... | Ball Bearing, A440F Case To Output Shaft (2.950"OD) (1.770"ID) | 1 | |
| 141264A..... | Race, A440F Presses In Case (3.165"OD) (.878" Thick) | 1 | |
| 141265A..... | Ball Bearing, A440F Extension Housing (1.574"ID) | 1 | |
| 141266A..... | Spacer, A440F Output Shaft (.204" Thick) (1.967"OD) (1.581"ID) | 1 | |
| 141272A..... | Shim, A440F Output Shaft (.063") | 1 | |

TOYOTA

| PART # | GASKETS & RUBBER COMPONENTS | QTY. | REFERENCE # |
|---------|--|------|-------------|
| 141300A | Pan Gasket, A440F/A442F Bottom 1985-95 | 1 | 35168-36010 |
| 141310A | Gasket, A440 Pump To Case 1985-Up | 1 | |
| 141311A | Gasket, A440 Pump To Case 1985-Up | 2 | |
| 141326 | Gasket, A440F Filter 1985-92 | 1 | 35339-60020 |

| PART # | TECHNICAL MANUALS | QTY. | REFERENCE # |
|--------|---------------------------------------|------|-------------|
| 141400 | Technical Manual, A440F/A442F 1985-95 | 1 | |

| PART # | ELECTRICAL COMPONENTS | QTY. | REFERENCE # |
|---------|---|------|-------------|
| 141410A | Switch, A440F External (2 Bolt) 10 Wire (28 1/2" Wire Harness) | 1 | |
| 141437A | Sensor, A440F Screw In (Brass) 18" Harness (1 Wire Type) (By The Cooler Fittings) | 1 | |
| 141446A | Wire Harness, A440F Internal/External (1 Connector, 2 Wire) | 1 | |

| PART # | HARD PARTS | QTY. | REFERENCE # |
|----------|---|------|-------------|
| 141500A | Pump, A440F (With 28 Teeth Inner Gear) | 1 | |
| 141500B | Pump, A440F (With 11 Teeth Inner Gear) (.470" Thick) | 1 | |
| 141500BA | Pump, A440F (With 11 Teeth Inner Gear) (.720" Thick) | 1 | |
| 141510A | Pump Body, A440F (With 28 Teeth Inner Gear) | 1 | 35035-36010 |
| 141510B | Pump Body, A440F (With 11 Teeth Inner Gear) (.470" Thick) | 1 | 35035-60010 |
| 141510BA | Pump Body, A440F (With 11 Teeth Inner Gear) (.720" Thick) | 1 | |
| 141520A | Stator, A440F (Used With 28 Teeth Inner Pump Gear) (2.005" Diameter Ring Tower) | 1 | 35308-36010 |
| 141520B | Stator, A440F (Used With 11 Teeth Inner Pump Gear) (2.005" Diameter Ring Tower) | 1 | 35308-60020 |
| 141551 | Drum, A440F Overdrive Direct (10 Teeth Steels) Cast Iron (35 Teeth Sun Gear) | 1 | |
| 141554 | Drum, A440F Forward W/Out PTO Gear (.930" Diameter Splines) | 1 | 35701-60010 |
| 141555A | Drum, A440F Direct Clutch (10 Teeth Steels) (1 1/2" Long Outer Splines) | 1 | 35651-36010 |
| 141560A | Piston Kit, A440F Overdrive Brake Clutch (1.480" Thick Piston) | 1 | |
| 141561A | Piston Kit, A440F Overdrive Direct Clutch (24 Springs) (2.160" ID Piston) | 1 | |
| 141562A | Piston Kit, A440F 2nd Brake Clutch (1.480" Thick) (5.735" ID Piston) | 1 | |
| 141564A | Piston Kit, A440F Forward Clutch (22 Spring Pockets) (4.985" OD Piston) | 1 | |
| 141565A | Piston Kit, A440F Direct Clutch (.790" Thick) (24 Splines) (4.672"OD Piston) | 1 | |
| 141567A | Piston Kit, A440F Low / Reverse (1 1/2" Thick x 6 7/8"OD Piston) | 1 | |
| 141574A | Hub, A440F Forward Clutch (20 Inner Splines) (2.140" Tall) | 1 | 35631-36010 |
| 141575A | Pressure Plate & Hub, A440F Forward Clutch (Top) (10 Teeth) (42 Splines) | 1 | 35654-36011 |
| 141580 | Planet, A440F Overdrive (35 Teeth Sun Gear) (46 Teeth Friction Splines) | 1 | 34710-36010 |
| 141582 | Planet, A440F Forward (Left Angled Cut Gears) (8 Holes In Sprag Race) | 1 | 35720-60010 |
| 141584 | Planet, A440F Rear (Angled Cut Gears) (2.351" Thick) | 1 | 35760-60010 |
| 141590A | Ring Gear, A440F Overdrive Planet (89 Teeth) (Right Angle) (1.538" Wide) | 1 | 34731-36010 |
| 141592A | Ring Gear, A440F Forward Planet (3.205" Thick) (Right Angled Teeth) | 1 | 35743-60010 |
| 141594A | Ring Gear, A440F Rear Planet (1.420" Thick) (Angled Teeth) | 1 | |
| 141600A | Hub, A440F Overdrive Planet (89 Teeth) (20 Spline) | 1 | |
| 141604A | Hub, A440F Rear (20 Splines) (82 Angled Teeth On OD) | 1 | 35761-60010 |
| 141612A | Sun Gear, A440F Forward (28 Angled Teeth) (5.084" Long) | 1 | 35706-60011 |
| 141614A | Sun Gear, A440F Rear (44 Angled Teeth No Groove) (1.043" Thick) | 1 | |
| 141630 | Support, A440F Overdrive Brake (4 3/16" Tall) (Aluminum) | 1 | 34101-60010 |
| 141632 | Support, A440F 2nd Brake (3 7/16" Tall) (Aluminum) | 1 | 35709-36010 |

| PART # | SPRAGS & ONE WAY CLUTCHES | QTY. | REFERENCE # |
|---------|---|------|-------------|
| 141650A | Sprag, A440F Overdrive (22 Elements) (.610" Wide) | 1 | 35791-36010 |
| 141652 | Sprag, A440 Low (46 Elements) (6 3/16"OD) (.808" Wide)(With Brass End Caps) | 1 | 35790-36010 |
| 141652K | Sprag Assembly, A440 Low (46 Elements)(6 3/16"OD)(.808" Wide Sprag)(With 16 Lug Outer Race #663)(With Brass End Caps) | 1 | |

| PART # | HARD PARTS (Continued) | QTY. | REFERENCE # |
|---------|---|------|-------------|
| 141661B | Outer Race, A440F Overdrive Sprag (57 Teeth) (2.810"ID) | 1 | 34713-36010 |
| 141663A | Outer Race, A440 Sprag (16 Lugs) (1.145" Thick) (6 1/8"OD) | 1 | |
| 141672A | Input Shaft, A440F (8 1/8" Long) | 1 | 35713-36011 |
| 141678A | Output Shaft, A440F 4WD (7 1/2" Long) | 1 | 35073-60010 |
| 141680A | Governor, A440F (8 Bolt) (Aluminum) | 1 | |
| 141690A | Park Gear, A440F (18 Lugs) (3 Ring Grooves) (8 Bolt Governor) | 1 | |
| 141691A | Retainer, A440F (5 Bolt) 4.805"OD (2.435"ID) | 1 | |
| 141694A | Retainer, A440F Sprag (6 Tabs) (6 5/8"OD) | 1 | |
| 141740 | Valve Body, A440F (1 Switch) | 1 | |

| PART # | VALVE BODY COMPONENTS | QTY. | REFERENCE # |
|----------|---|------|-------------|
| 141746A | Plate, A440F Accumulator (10 Holes) | 1 | |
| PART # | HARD PARTS (Continued) | QTY. | REFERENCE # |
| 141750 | Bell Housing, A440F Closed Stator At 9:30 (No Case Dowel Pins) | 1 | |
| 141760 | Case, A440F (NO PTO) Top Mount (Has Governor Bore) | 1 | |
| 141765 | Pan, A440F (20 Bolts) Front Passenger Side Filler Tube | 1 | |
| 141770 | Extention Housing, A440 4x4 (4.625" Long) 6 Bolts To Transfer Case (Cast Iron) | 1 | |
| 141770A | Extention Housing, A440 4x4 (4.180" Long) 6 Bolts To Transfer Case (Cast Iron) | 1 | |
| 141779AK | Bolt Set, A440F Pan (20 Pieces) (10mm) | 1 | |
| 141783AK | Bolt Set, A440F 2nd Brake Support To Case (14mm) (1.085" Long) (3 Pieces) | 1 | |
| 141860A | Snap Ring, A440F Overdrive Brake Support To Case (8 9/16"OD) (.105") | 1 | |
| 141861A | Snap Ring, A440F Top Overdrive Brake Clutch (7 3/8"OD) (.078") (Also Fits Overdrive Brake Spring Retainer) | 1-2 | 90521-99109 |
| 141862A | Snap Ring, A440F Holds Overdrive Brake Spring Retainer In (Use 414861A) | 1 | |
| 141864A | Snap Ring, A440F Overdrive Direct Clutch Top (.068") (5 3/8"OD) | 1 | |
| 141865A | Snap Ring, A440F Overdrive Direct Piston Retainer (.039") (2.315"OD) (Use 141877A) | 1 | |
| 141868A | Snap Ring, A440F Overdrive Hub To Ring Gear (4.882"OD) | 1 | |
| 141876A | Snap Ring, A440F Forward Clutch Top (.068") (5 1/2"OD) (Also Fits Direct Clutch Top) | 1-2 | 90521-99017 |
| 141877A | Snap Ring, A440F Forward Piston Retainer (.039") (2.315"OD) (Also Fits Overdrive Direct Piston Retainer & Direct Piston Retainer) | 1-3 | 90520-50001 |
| 141878A | Snap Ring, A440F Direct Clutch Top (.068") (5 1/2"OD) (Use 141876A) | 1 | |
| 141879A | Snap Ring, A440F Direct Piston Retainer (.039") (2.315"OD) (Use 141877A) | 1 | |
| 141882A | Snap Ring, A440F Front Ring Gear (5"OD) (.070") Bent Ends | 1 | 90521-99040 |
| 141884A | Snap Ring, A440F 2nd Brake Support To Front Sun Gear (.057") (1.545"OD) | 1 | |
| 141885A | Snap Ring, A440F Low / Reverse Spring Retainer (.058") (3.741"OD) | 1 | |
| 141886A | Snap Ring, A440F Output Shaft To Planet (5 7/8"OD) (.067") | 1 | |
| 141888A | Snap Ring, A440F Input Shaft To Rear Ring Gear Hub (1.078"OD) (.059") | 1 | |
| 141889A | Snap Ring, A440F Rear Hub To Ring Gear (5 1/8"OD) (.057") | 1 | |
| 141894A | Snap Ring, A440F Bearing To Extension Housing (1.685"OD) (.059") (Also Fits Retainer # 691 To Extension Housing) | 1-2 | |
| 141895A | Snap Ring, A440F Retainer # 691 To Extension Housing (Use 141894A) | 1 | |
| 141925A | Accumulator Assembly, A440F B-O Accumulator | 1 | |
| 141930A | Accumulator Assembly, A440F C-2 Accumulator | 1 | |
| 141936A | Spring, A440F C-1 Accumulator (3.535" Long) | 1 | |
| 141937A | Piston, A440F C-1 Accumulator (2.495" Long) | 1 | |
| 141939A | Cover, A440F C-1 Accumulator (4 Bolt) (Aluminum) | 1 | |
| 141950A | Accumulator Assembly, A440F B-2 Accumulator | 1 | |
| 141960A | Piston, A440F Overdrive Brake (1.480" Thick) | 1 | 35621-36010 |
| 141961A | Piston, A440F Overdrive Direct clutch (24 Springs) (2.160"ID) | 1 | |
| 141962A | Piston, A440F 2nd Brake (1.480" Thick) (5.735"ID) | 1 | |
| 141964A | Piston, A440F Forward Clutch (22 Spring Pockets) (4.985"OD) | 1 | 35602-36010 |
| 141965A | Piston, A440F Direct Clutch (.790" Thick) 22 Splines (4.672"OD) | 1 | 35606-36010 |
| 141967A | Piston, A440F Low / Reverse (1 1/2" Thick) (6 7/8"OD) | 1 | |
| 141970A | Spring Retainer, A440F Overdrive Clutch (6 15/16"OD) (Also Fits 2nd Brake Clutch) | 1-2 | |
| 141971A | Retainer, A440F Overdrive Direct Clutch (24 Springs) (3.380"OD) | 1 | |
| 141972A | Spring Retainer, A440F 2nd Brake Clutch (Use 141970A) | 1 | |
| 141974A | Retainer, A440F Forward Clutch (22 Spring) (3.332"OD) (Also Fits Direct Clutch Retainer) | 1-2 | |
| 141975A | Retainer, A440F Direct Clutch (Use 141974A) | 1 | |
| 141977A | Spring & Retainer, A440F Low / Reverse (36 Springs, 5"OD) (3 5/8"OD) | 1 | |
| 141991A | Linkage Assembly, A440F Internal | 1 | |
| 141994A | Park Rod, A440F (.315"OD) (17" Long) | 1 | |
| 141995A | Park Pawl Assembly, A440F (3 Pieces) | 1 | |
| 141996AK | Fitting Set, A440F Cooler Line (Elbow Type) | 1 | |

TOYOTA